Refine Search

Search Results -

Terms	Documents
L22 and L21	38

Database:

> US Pre-Grant Publication Full-Text Database
> **US Patents Full-Text Database**
> US OCR Full-Text Database
> EPO Abstracts Database
> JPO Abstracts Database
> Derwent World Patents Index
> IBM Technical Disclosure Bulletins

Search:

> L23

[Refine Search]

[Recall Text ⬍]   [Clear]   [Interrupt]

Search History

**DATE: Tuesday, November 16, 2004**   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=USPT; PLUR=YES; OP=ADJ			
L23	L22 and l21	38	L23
L22	717/100,101,102,103,106,107,108,116.ccls.	828	L22
L21	l20 and (generat$ or creat$ or develop$ or implement$) near8 (software$ near5 application$)	477	L21
L20	object and interface and class and base and type and store and subset$ and attribut$	2918	L20
L19	l1 and interfac$	1	L19
L18	l1 and class$	1	L18
L17	l1 and receiv$	1	L17
L16	l1 and (perform$ or function$ or task$) near8 type$	1	L16
L15	l1 and (creat$ or stor$) near8 (object$ or modif$)	1	L15
L14	l1 and (devic$ or resource$)	1	L14
L13	l1 and attribut$	1	L13

L12	l1 and arr$	1	L12
L11	l1 and (date$ or time$)	1	L11
L10	l1 and primitiv$	0	L10
L9	l1 and array$	0	L9
L8	l1 and (basic$ or primitiv$ or class$ or array$)	1	L8
L7	L6 and (sub$ or hierar$)	1	L7
L6	l1 and select$	1	L6
L5	l1 and (modifier$ near9 object$)	1	L5
L4	l1 and (message destination)	1	L4
L3	l1 and (alias palette)	1	L3
L2	L1 and (flow$ or order$ or sequenc$)	1	L2
L1	5680619.pn.	1	L1

END OF SEARCH HISTORY

Freeform Search

Database: | US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term: | ll and interfac$

Display: 100 Documents in **Display Format**: TI,AB Starting with Number 1

Generate: ○ **Hit List** ◉ **Hit Count** ○ **Side by Side** ○ **Image**

Search   Clear   Interrupt

Search History

DATE: Tuesday, November 16, 2004   Printable Copy   Create Case

Set Name Query	Hit Count	Set Name
side by side		result set

DB=USPT; PLUR=YES; OP=ADJ

Set Name	Query	Hit Count	Set Name
L19	ll and interfac$	1	L19
L18	ll and class$	1	L18
L17	ll and receiv$	1	L17
L16	ll and (perform$ or function$ or task$) near8 type$	1	L16
L15	ll and (creat$ or stor$) near8 (object$ or modif$)	1	L15
L14	ll and (devic$ or resource$)	1	L14
L13	ll and attribut$	1	L13
L12	ll and arr$	1	L12
L11	ll and (date$ or time$)	1	L11
L10	ll and primitiv$	0	L10
L9	ll and array$	0	L9
L8	ll and (basic$ or primitiv$ or class$ or array$)	· 1	L8
L7	L6 and (sub$ or hierar$)	1	L7
L6	ll and select$	1	L6
L5	ll and (modifier$ near9 object$)	1	L5
L4	ll and (message destination)	1	L4

<u>L3</u>	l1 and (alias palette)	1	<u>L3</u>
<u>L2</u>	L1 and (flow$ or order$ or sequenc$)	1	<u>L2</u>
<u>L1</u>	5680619.pn.	1	<u>L1</u>

END OF SEARCH HISTORY